We claim:

- A process for the production of a yeast having an enhanced astaxanthin content, comprising culturing in a nutrient medium containing an antibiotic, cytochrome B inhibitor, or a terpenoid synthetic pathway inhibitor a microorganism of genus <u>Phaffia</u>.
- 2. A process as set forth in claim 1, wherein the antibiotic is selected from the group consisting of antimycin, tunicamycin, and nystatin.
- 3. A process as set forth in claim 1, wherein said cytochrome B inhibitor is selected from the group consisting of antimycin and 2-n-heptyl-4-hydroxyquinoline-N-oxide.
- 4. A process as in claim 1, wherein the terpenoid synthetic pathway inhibitor is mevalonic acid lactone.
- 5. A process as set forth in claim 1, wherein the antibiotic or terpenoid synthetic pathway inhibitor concentration in the medium is between 1 and 100 μ M.
- 6. A process as in claim 1, wherein the antibiotic or terpenoid synthetic pathway inhibitor concentration in the medium is between 30 and 80 μM .
- 7. A process as in claim 1, wherein the microorganism of genus <u>Phaffia</u> is subject to mutagenesis either before, after, or before and after morphological selection.

- 8. A process as in claim 1, employing as said yeast P. thodozyma ATCC 24230 or ATCC 24202.
- 9. A process as in claim 1, wherein the astaxanthin in harvested yeast is 1000 ppm or more based on dry weight of yeast cells.
- 10. A yeast having the identifying characteristics of <u>Phaffia</u>, said yeast having been obtained by at least one step of morphological selection of naturally occurring <u>Phaffia</u> or of a mutant of naturally occurring <u>Phaffia</u> cultured using a medium containing an antibiotic selection agent or a terpenoid synthetic pathway inhibitor.
- 11. A yeast as in claim 10, further characterized by increased sensitivity to antimycin.

- 12. A yeast as in claim 10, further characterized by increased sensitivity to thenoyltrifluoroacetone.
- 13. A yeast as in claim 10, further characterized in lacking the ability to grow on ethanol.
- 14. A process for increasing the pigmentation of the flesh of salmonids which comprises feeding said salmonids a yeast of claim 10 in disrupted form in sufficient amount to increase the pigmentation of said salmonids.
- 15. The process of claim 14, wherein said salmonid is salmon.

- 16. The process of claim 14 wherein said salmonid is trout.
- 17. A food supplement comprising the yeast of claim 10 in disrupted form.
- 18. A process for in vivo production of astaxanthin, comprising culturing one or more times in a nutrient medium containing an antibiotic, a cytochrome B inhibitor, or a terpenoid synthetic pathway inhibitor a microorganism of genus Phaffia, cultivating surviving microorganisms exhibiting enhanced pigmentation, harvesting the cultivated yeast, and extracting the astaxanthin.
- 19. A process as in claim 17, further comprising subjecting said microorganism of genus <u>Phaffia</u> to at least one mutation either before or after one of said culturings in said nutrient medium containing an antibiotic, cytochrome B inhibitor, or terpenoid synthetic pathway inhibitor.

add)